



# CAMBRIDGE

50 AR, 40, 30 AR & 30

LAMINATED ARCHITECTURAL SHINGLES



Shingle color shown is *Cambridge NW Harvard Slate*.



[www.iko.com](http://www.iko.com)

SUMAS / CALGARY

# CAMBRIDGE

## 50 AR, 40\* & 30 AR\*\* & 30

### Laminated Shingles

Bring the beauty of Nature home to your roof, with Cambridge shingles in Nature's Accents colors. They add dimension and depth, just like wood shakes, but without the high maintenance. Their double-layer construction builds on an extra-heavy fiberglass mat and tough modified sealant, to provide superior durability and wind resistance. They'll protect your home against nature's worst and keep it looking gorgeous for years to come. Cambridge shingles are surprisingly affordable - the natural choice to protect and beautify any style of home. Like yours.

- Fiberglass asphalt shingles
- Laminated architectural design
- Cambridge 50 AR & 30 AR feature an algae resistant granule
- Class "A" Fire Resistance Rating††
- Limited wind warranty coverage up to:
  - 90 mph (145 km/h); if installed with 6 nails†
  - **110 mph (177 km/h)** for Cambridge 50 AR†
  - 80 mph (129 km/h) for Cambridge 40\*
  - 70 mph (112 km/h) for Cambridge 30 AR and 30†
- Limited 50-Year, 40-Year or 30-Year Warranty†
- 5 year IKO "Iron Clad" protection‡

\*Cambridge 40 available from Sumas and Calgary plants only.

\*\*Cambridge 30 AR available from Sumas plant only.

†See Limited Warranty for details.

†† All IKO fiberglass shingles require an approved underlayment when applied on roofs with a slope less than 8/12. Class "A" Fire Resistance Rating is achieved only with the installation of an approved underlayment.

Note: Cambridge 50 AR and 30 AR shingles feature an algae resistant system with a limited algae resistance warranty†.

Note: Cambridge shingles available from Calgary and Sumas plants are designed with an angle cut.

Class "A" Fire Resistance Rating

IKO Cambridge shingles feature a Class "A" Fire Resistance Rating††. Class "A" simulates the conditions characteristic of severe external fire hazards. As part of a complete shingle roof system (deck, underlayment and the shingles themselves) Cambridge shingles meet the stringent tests of **ASTM E108** and **CANULC S107**.

### ALGAE RESISTANT

Don't let algae ruin the appearance of your roof!

Protect it and keep it looking like new, year after year, by choosing IKO Cambridge 50 AR or 30 AR shingles with **ALGAE RESISTANT** granules. We embed these ceramic-coated copper granules right into our shingles. They're colorfast, so they won't break down in UV light. And the copper in them inhibits the growth of algae, so that your roof won't develop those unsightly black streaks. If you live in an area of high humidity - or even if you don't - insist on IKO Cambridge 50 AR or 30 AR shingles with AR granules to protect your investment. Beautifully.



Shingle color shown is Cambridge Dual Black.



# CAMBRI



DGE



# CAMBRIDGE

50 AR, 40<sup>1</sup>, 30 AR<sup>2</sup> & 30

Laminated Shingles

## Specifications

### Length

40-1/2" (1029 mm)

### Width

13-1/2" (343 mm)

### Exposure

5-3/4" (146 mm)

### Coverage per Bundle

50 AR - 24.2 sq. ft. (2.25 m<sup>2</sup>)

### SUMAS

40 Year - 24.2 sq. ft. (2.25 m<sup>2</sup>)

30 AR - 33.3 sq. ft. (3.1 m<sup>2</sup>)

30 Year - 33.3 sq. ft. (3.1 m<sup>2</sup>)

### CALGARY

40 Year - 32.3 sq. ft. (3 m<sup>2</sup>)

30 Year - 32.3 sq. ft. (3 m<sup>2</sup>)

## Standards

- ASTM D3462
- ASTM D3018
- ASTM D3161
- ASTM E108 Class "A"  
Fire Resistance Rating
- CSA A123.5
- CSA A123.51
- CSA A123.52
- UL 997
- UL 790
- ICC ER-5796<sup>1</sup>



Note: Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging.

<sup>1</sup>Products manufactured at the Sumas plant comply with ICC requirements.

Note: All values shown are approximate.

<sup>1</sup>Cambridge 40 available from Sumas and Calgary plants only.

<sup>2</sup>Cambridge 30 AR available from Sumas plant only.

Shingle color shown is **Cambridge Castle Grey**.



# CAMBRIDGE



# Laminated Shingles



Shingle color shown is Cambridge Earthtone Cedar.



# CAMBRIDGE

# Cambridge 50 AR, 40\*, 30 AR\*\* & 30

## Color Availability



Dual Black



Dual Grey



Castle Grey



NW Harvard Slate



NW Driftwood



Forest Green



Weatherwood



Earthtone Cedar



Aged Redwood

Color Availability	Dual Black	Dual Grey	Castle Grey	NW Harvard Slate	NW Driftwood	Forest Green	Weatherwood	Earthtone Cedar	Aged Redwood
Cambridge 50 AR	■	■	■	■	■	■	■	■	■
Cambridge 40*	■	S	■	■	■	■	■	■	S
Cambridge 30 AR**	■	■	■	■	■	■	■	■	■
Cambridge 30	■	■	■	■	■	■	■	■	■

■ Calgary and Sumas plants.

S Available from Sumas plant only.

\*Cambridge 40 available from Sumas and Calgary plants only.

\*\*Cambridge 30 AR available from Sumas plant only.

Note: Shingle swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction, please make your final color selection from several full size shingles and view a sample of the product installed on a home.



## **IKO ROOFViewer™**

To aid in the selection of a new roof, IKO has developed the **IKO ROOFViewer™**. This is an interactive tool which allows the customer to easily select a shingle style and color to co-ordinate with brick or siding and trim. It's an easy way of finding out how your house will look with a particular shingle. This tool is available on-line at:

► [www.iko.com](http://www.iko.com)



# ArmourGard

## Ice & Water Protector



### “Invisible” protection against roof leaks.

- Helps prevent water leakage due to ice dams and wind-driven rain
- Improved flexibility for superior performance
- Slip-resistant surface for safe application
- Tear-resistant membrane
- Self-adhesive for watertight sealing
- Self-sealing around roofing nails
- Meets most building code requirements

Specifications (approximate)	
ArmourGard	2 square
Length	65' (19.8 m)
Width	36" (914 mm)
Roll Contents	195 sq. ft. (18.1 m <sup>2</sup> )
Thickness	63 - 71 mil (1.6 - 1.8 mm)

# UltraHP

## High Profile Ridge Cap Shingles



### Take quality to another dimension.

- Dramatic high-profile design adds dimension, depth and texture.
- Enhance your home's aesthetic appeal by accentuating the roof-line.
- Multi-layer construction for durability and superior tear strength values.
- Extra performance of IKO-SBS Asphalt Coating and Class 4 Impact Resistance Rating.
- Self-sealing adhesive backing for easy installation and maximum wind protection.
- Matches the unique, computer-generated color blends of our Cambridge "Nature's Accents" color series.
- Pre-formed rolled design features a curved edge with an 8-1/4" exposure – no need to cut or fold on the roof.
- Because there are fewer pieces to install than with traditional hip and ridge products, there's less labor involved.

## IKO Worldwide

### Canadian Plants

- IKO Brampton
- IKO Calgary
- IKO Hawkesbury
- IKO Madoc
- Canroof - Toronto
- Canroof - Brampton
- IG Machine & Fibers Ltd. - Brampton
- IG Machine & Fibers Ltd. - High River
- IG Machine & Fibers Ltd. - Ashcroft
- GH International
- Bramcal Production Inc.

### United States Plants

- IKO Chicago
- IKO Midwest Inc.
- IKO Franklin
- IKO Pacific
- IKO Wilmington
- Fiberteq LLC
- MW/MB LLC

### European Plants

- IKO Sales International NV - Belgium
- Asphaltco SA - Belgium
- ATAB NV/ASBO NV - Belgium
- IKO Insulations BV - The Netherlands
- Touwen & Co. BV - The Netherlands
- Meple SA - France
- AWA GMBH - Germany
- Irish Roofing Felts Ltd. - Ireland
- Ruberoid Building Products & Permanite Engineered Roofing Systems - UK
- Ruberoid Building Products Ltd. - UK
- Permanite Asphalt - UK
- Marley Waterproofing - UK
- Kingsnorth Bitumen - UK

### European Sales Offices

- IKO Germany
- IKO Czech Republic
- IKO Poland
- IKO Slovakia
- IKO Russia
- IKO Hungary
- Nebiprofa BV - The Netherlands
- Spectraroof BV - The Netherlands

### Asian Sales Office

- IKO China - Shanghai

Find out more about our products now by talking to an IKO sales representative, your professional roofing contractor or contact us directly at:

**Western Canada 1-800-661-1034, United States 1-888-IKO-ROOF, Eastern Canada 1-800-361-5836**

or visit our web site at: [www.iko.com](http://www.iko.com)

Member of:



Note: Shingle swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction please make your final color selection from several full size shingles and view a sample of the product installed on a home.

Note: The information in this literature is subject to change without notice. IKO assumes no responsibility for errors that may appear in this literature.

