


ROOFING -
RESIDENTIAL

LYSAGHT

THE ICONIC AUSSIE ROOF

100% AUSTRALIAN STEEL ROOFING




THE SHAPE THAT BUILT A NATION

A FEATURE OF THE LANDSCAPE.

For well over 150 years Lysaght products have formed part of what has become a uniquely Australian landscape. While it all started with ORB back in 1857, there is today an extensive range of beautiful Lysaght roofing profiles and colours to suit every style and environment. So not matter what your roofing needs, whether it's a renovation, an architectural masterpiece or even just a simple shed, there'll be numerous Lysaght options to choose from.







100% TRUE BLUE AUSSIE STEEL

WE USE ONLY THE BEST.

At Lysaght, we use only the best 100% Australian steel for 100% peace of mind; made from BlueScope's industry-leading brands such as COLORBOND® and ZINCALUME® steel. And, of course, all our products are extensively performance tested, backed with the strength of the BlueScope warranty and can be relied on with total and absolute confidence. It's no wonder Lysaght is the name Australian's trust when it comes to steel roofing.



WARRANTIED FOR PEACE OF MIND.

LYSAGHT® steel roofing is designed to Australian Standards and fully engineered and tested in our NATA accredited facility. That means you can be confident a new LYSAGHT® steel roof will be as beautiful as it is strong. And LYSAGHT® steel roofing is also backed by the BlueScope Steel material warranty.*

*Subject to terms and conditions.




OUR EXTENSIVE RANGE

CUSTOM ORB[®]

THE ORIGINAL AUSTRALIAN CORRUGATED
ROOF SHEETING AND WALL CLADDING.

**Ideal for modern and traditional applications,
it can be laid flat or sprung curved.**

- Effective cover width: 762mm
- Minimum roof slope: 5°






CUSTOM BLUE ORB®

A MORE DUCTILE CORRUGATED ROOF SHEETING AND WALL CLADDING.

Suitable for bullnosing or curving into a range of concave and convex shapes.

- Effective cover width: 762mm
- Minimum roof slope: 5°





LONGLINE 305®

AN ARRESTING ARCHITECTURAL ROOFING AND WALLING CLADDING.

Offering clean, uninterrupted lines, bold ribs and wide flat pans.

- Effective cover width: 305mm
- Minimum roof slope: 1°
- LONGLINE 305® WA profile supplied in Western Australia




KLIP-LOK 700 HI-STRENGTH®

AN ADVANCEMENT ON THE ORIGINAL CONCEALED FIX ROOF CLADDING.

With bold ribs making a strong visual statement, this superior product has earned FM Global approval.

- Concealed fixed offering supreme watertightness
- Can be used with LOK-KLIP® end and expansion joint system
- Effective cover width: 700mm
- Minimum roof slope: 1° (subject to meeting design provisions)




KLIP-LOK CLASSIC® 700

A ROOFING AND WALLING PROFILE WITH A STRONG RIB.

Offering long, straight lines for a crisp and clean finish. Provides supreme watertightness.

- Can be used with LOK-KLIP® end and expansion joint system
- Effective cover width: 700mm
- Minimum roof slope: 1° (0.48 BMT) 2° (0.42mm BMT)




CUSTOM ORB ACCENT® 21

A MID-DEPTH CORRUGATED ROOF AND WALL CLADDING.

Offering a daring roofline, improved resistance to damage and greater spanning capacity.

- Deep corrugated roof cladding ideal for areas with high rainfall
- Ideal for low pitched roofs
- Effective cover width: 762mm
- Minimum roof slope: 3°




CUSTOM ORB ACCENT® 35

A STRIKINGLY DEEP ROOF AND WALL CLADDING.

With corrugations 120% deeper and 50% wider than traditional corrugated profiles.

- Offers improved resistance to damage
- Long spanning capacity
- Effective cover width: 724mm
- Minimum roof slope: 2°




SPANDEK®

A MODERN, SIMPLE SQUARE-CORRUGATED ROOFING AND WALLING CLADDING.

SPANDEK® is strong, impact resistant and economical.

- Highly serviceable roofing and walling cladding
- Bold ribs offer high strength and high water carrying capacity
- Effective cover width: 700mm
- Minimum roof slope: 2°





TRIMDEK®

A VERSATILE ROOFING AND WALLING PRODUCT.

With bold trapezoidal ribs and subtle fluting in the pans.

- Long spanning cladding permitting wide support spacing
- Versatile, strong yet lightweight profile
- Effective cover width: 762mm
- Minimum roof slope: 2°





LYSAGHT PRODUCT AVAILABILITY

PRODUCT	NSW/ACT	QLD	VIC	SA	WA	TAS	NT
CUSTOM ORB®	Available	Available	Available	Available	Available	Available	Available
CUSTOM BLUE ORB®	Available	Available	Available	Available	Available	Available	Available
LOGLINE 305®	Available	Available	Available	Available	Available	Available	Not Available
KLIP-LOK 700 HI-STRENGTH®	Available	Available	Available	Not Available	Not Available	Not Available	Not Available
KLIP-LOK CLASSIC® 700	Not Available	Not Available	Not Available	Available	Available	Not Available	Not Available
CUSTOM ORB ACCENT® 21	Available	Available	Available	Not Available	Not Available	Not Available	Not Available
CUSTOM ORB ACCENT® 35	Available	Available	Available	Not Available	Not Available	Not Available	Not Available
SPANDEK®	Available	Available	Available	Available	Available	Available	Available
TRIMDEK®	Available	Available	Available	Available	Available	Available	Available

LOGLINE 305® WA supplied in Western Australia

AVAILABLE 
NOT AVAILABLE 

FOR YOUR NEAREST SUPPLIER VISIT:

WWW.LYSAGHT.COM

FOR TECHNICAL ENQUIRIES
CALL 1800 641 417

LYSAGHT®, COLORBOND®, ® product names and BlueScope are registered trademarks of BlueScope Steel Limited ABN 16 000 011 058. The LYSAGHT® range of products is made exclusively by BlueScope Steel Limited trading as Lysaght.



BLUESCOPE

Colorbond®



9 320075 079307